

INDEX

A

- access control lists (ACLs), 34, 107
- access tokens, 106
- ACLs (access control lists), 34, 107
- ACPI (Advanced Configuration and Power Interface)
 - specification, 125
- active/active clusters, 376
- Active Directory, 242, 271–284
 - DHCP, 254
 - directory structures, 280–281
 - domains, 274–275
 - files, 282–283
 - forests, 276–277
 - objects, 272–273
 - organizational units, 273–274
 - preparing for, 277–280
 - trees, 276
 - troubleshooting. *See* troubleshooting Active Directory
 - Windows 2000 Server, 15
- Active Directory Installation Wizard, 279–280
- Active Directory-integrated zones, 243
- Active Directory Users and Computers tool, Windows 2000 Server, 73
- active/standby clusters, 376–377
- Add Printer Wizard, 307–309
- Add/Remove Hardware Wizard
 - Windows 2000 Professional, 14
 - Windows 2000 Server, 73
- Add/Remove Programs tool,
 - Windows 2000 Server, 73
- Address (A) resource record, 245–247
- address translation, 103–105
- administration, delegation, 281
- Administration Tool, Terminal Services, 317–318
- administrative templates, 339
- Advanced Attributes dialog box, 343–344
- Advanced Configuration and Power Interface (ACPI)
 - specification, 125
- Advanced Options menu, 399–403
 - boot logging, 400
 - Debugging mode, 403
 - Directory Services Restore Mode, 403
 - Last Known Good Configuration, 401–403
 - Safe Mode, 400
 - VGA mode, 401
- affinity of processes, 88, 91
- allocating
 - CPU time, 68–69
 - memory, 67–68
 - resources, 12, 124–125
- APIs (application program interfaces), 30
- AppleTalk Remote Access Protocol (ARAP), 227
- application(s)
 - background, 89
 - clustered, requirements, 379
 - foreground, 89
 - IntelliMirror for distribution, 311
 - licensing. *See* licenses
 - Web, IIS development tools, 312
- Application layer, OSI reference model, 213
- application licenses, 332
- application program interfaces (APIs), 30
- application service providers (ASPs), 332
- ARAP (AppleTalk Remote Access Protocol), 227
- archive attribute, 156
- archive bits, 194, 363
- ASPs (application service providers), 332
- assigned software, 311
- asymmetric encryption, 341
- ATTRIB command, 405
- attribute(s)
 - FAT16 file system, 156
 - NTFS, 158–159, 161–163, 342
- attribute bytes, FAT16 file system, 156
- authentication of users. *See* user authentication
- authoritative restore, 406–407
- Automatic Caching for Documents option, offline access, 303
- Automatic Caching for Programs option, offline access, 303
- automatic DHCP lease renewal, 253
- AXFR (Full Zone Transfer), 247

B

- background applications, 89
- backing up
 - Active Directory, 283–284
 - data. *See* backing up data
 - Registry, 65–66, 434–435
- backing up data, 194–196, 360–367
 - creating schemes, 365–366

- media supported in
 - Windows 2000, 367
- methods, 195–196
- schemes, 363–367
- tools, 361–363
- types, 194–195, 366
- backup domain controllers (BDCs), 274
- Backup feature, Windows 2000 Professional, 14
- backup methods, 195–196
 - near-line, 196
 - offline, 196
 - online, 195
- balance set manager, 99
- base priority, 92
- basic disks, 182–184
- basic storage, 151, 152
- batch jobs, 4
- batch systems, 4
- BDCs (backup domain controllers), 274
- bit masks, 371
- Boot.ini file, 56
- boot logging, 400
- boot process, 53–54, 396–399
 - base operating system loaders, 55–57
 - detecting hardware, 397–398
 - detecting problems with
 - Advanced Options menu. *See* Advanced Options menu
 - loading basic hardware support, 396–397
 - loading Ntldr, 397
 - loading Windows 2000 system kernel, 398–399
 - troubleshooting. *See* troubleshooting boot process
- Bootsect.dos file, 56
- boot sector, 150
- bootstrapping files, 53, 55–57
- breaking the mirror set, 372
- broadcasts, 296
- bus(es), 131–133. *See also* IEEE 1394 Serial Bus (FireWire); PCI bus; Universal Serial Bus (USB)
- bus class drivers, 127
- bus minidrivers, 127
- C**
- Cache Manager, 34–35
- Caching dialog box, 302
- CALs. *See* client access licenses (CALs)
- CardBus, 131
- CD command, 405
- central processing units (CPUs), 9–10
 - allocating CPU time, 68–69
 - distributing cycles. *See* distributing CPU cycles; thread scheduling
 - multiple, 5–6
 - starvation, priority boosts to rectify, 99–100
- Windows 2000 Professional requirements, 15
- Windows 2000 Server requirements, 17
- certificate(s), user authentication, 336
- certificate authority, 336
- change journal, NTFS, 162
- CHDIR command, 405
- checkpoint file, Active Directory, 283
- CHKDSK command, 405
- CIF (Computer Information File), troubleshooting, 418–419
- ciphertext, 341
- circular logging, Active Directory, 283
- client(s), 28
 - client-cluster communications, 378–379
 - connecting to resources from, 298
 - thin, 72
- client access licenses (CALs), 330, 331
 - Internet, 332
 - terminal server, 331–332, 333
- client licensing. *See* licenses
- client roles, 228
- client/server model, operating systems, 28
- cluster(s), 151
 - size in FAT16 volumes, 157
 - size in NTFS, 161
- clustering, 6, 373–380
 - client-cluster communications, 378–379
 - client's perception of servers and applications, 373–375
 - cluster types, 375–377
 - parts of cluster service, 375
 - process, 378
 - requirements for clustered applications, 379
 - Windows 2000 Advanced Server, 18
- cluster resources, 379
- cluster service, 374
 - parts, 375
- command(s)
 - embedded, 3–4
 - Recovery Console, 405
- command-based scripting, App 2–3
- command languages, 4
- comments, sharing network resources, 300, 301
- committed memory, 101
- common-sense troubleshooting, 420–421
- Communications Manager, cluster service, 375
- Component Services tool, 219
 - dependencies, 222–223
 - general settings, 219–220
 - log on preferences, 220–221
 - recovery options, 222

Compreg.exe, 437
compression, NTFS, 343
computer(s)
 identification, 242. *See also*
 Domain Naming Service
 (DNS); Dynamic Host
 Configuration Protocol
 (DHCP); Windows Internet
 Name Service (WINS)
 network, 72
Computer Information File
 (CIF), troubleshooting, 418–419
Computer Management tool
 troubleshooting, 423–424
 Windows 2000 Server, 73
Configuration Database Manager,
 cluster service, 375
configuring display and input
 devices, 133–134
consistency, interfaces, 12
console licenses, 331
context, threads, 90
context switch, 39
context switching, 8, 90
control objects, 36
Control Panel, 133
control programs, 4
control sets, 63
cooperative multitasking, 68–69, 89
copy backups, 194, 366
COPY command, 405
copy-on-write data sharing, 102
core system files, 53, 55–57
CPUs. *See* central processing units
 (CPUs)
CRCs (cyclic redundancy
 checks), 214
Cscript.exe, App 2–3
cycles, CPU, distributing. *See* dis-
 tributing CPU cycles; thread
 scheduling
cyclic redundancy checks
 (CRCs), 214
cylinders, 148

D

daily backups, 366–367
database files
 Active Directory, 282
 zone, 243
data encryption. *See* encryption;
 encryption keys
Data Link layer, OSI reference
 model, 214–215
data packets, 214
data-processing requests,
 handling, 69
data stream attributes, NTFS, 162
data types, Registry, 60
Dcpromo.exe, 279
DDIs (device driver interfaces), 130
Debugging mode, 403
decryption, 344
default gateways, 252, 256
DEL (DELETE) command, 405
delegation of administration, 281
deleting the mirror set, 372
Dependencies tab, Service
 Properties dialog box, 222–223
dependency failures, troubleshoot-
 ing, 421
device(s)
 hardware versus, 123–124
 management, 124–125
device class drivers, 54, 127
device driver(s), 37–38, 54–55
 class, 54, 127
 individual, 54–55
 minidrivers, 127
device driver interfaces
 (DDIs), 130
Device Manager, 123–124, 125
device minidrivers, 127
device sharing, 299–303
DFS. *See* Distributed File System
 (DFS)
DFS links, 305
DFS roots, 304–306

DHCP. *See* Dynamic Host
 Configuration Protocol (DHCP)
DHCPDISCOVER message, 251
DHCP leases, 251–254
 DHCPDISCOVER phase, 251
 DHCPOFFER phase, 251–252
 DHCPPACK phase, 252
 DHCPREQUEST phase, 252
 renewal, 252–254
DHCPOFFER message, 251–252
DHCPPACK message, 252
DHCPREQUEST message, 252
DHCP scopes, 254–255
differential backups, 195, 365
DIR command, 405
directories
 Active Directory, structure,
 280–281
 NTFS, 157–160
 virtual, 314
Directory Services Restore
 Mode, 403
DISABLE command, 405
disk(s)
 architecture. *See* disk architecture
 basic, 182–184
 duplication, Windows 2000
 Professional, 14
 dynamic. *See* dynamic disks
 fault-tolerant configurations. *See*
 fault-tolerant disk configurations
 groups, 367
 quotas. *See* disk quotas
 space. *See* disk space
 troubleshooting problems, 441
 writing to, 67
disk architecture, 148–154
 logical disk divisions, 150–154
 master boot record, 150
 partition table, 149–150
 physical disk divisions, 148–150
 volume types, 151–154

- Disk Management tool, 182
 - creating fault-tolerant volumes, 372
 - disk mirroring, 368–369
 - DISKPART command, 405
 - disk quotas
 - NTFS, 157, 162, 191–194
 - Windows 2000 Server, 15
 - disk space
 - Windows 2000 Professional requirements, 15
 - Windows 2000 Server requirements, 17
 - disk striping with parity, 153–154, 369–371
 - dispatcher, 90–91
 - displays
 - configuring, 133
 - multiple, 130–131
 - Windows 2000 Professional requirements, 15
 - Windows 2000 Server requirements, 17
 - Distributed File System (DFS), 304–306
 - creating DFS roots, 305–306
 - managing, 304–305
 - Windows 2000 Server, 73
 - distributing CPU cycles, 88–100
 - multitasking types, 89
 - thread scheduling. *See* thread scheduling
 - DLLs. *See* dynamic link libraries (DLLs)
 - DNS. *See* Domain Naming Service (DNS)
 - documenting current settings, troubleshooting devices, 137–138
 - domain(s), 256
 - Active Directory, 274–275
 - monitoring available licenses, 331
 - root, 281
 - Windows NT, 274–275
 - domain accounts, server accounts versus, 333–334
 - domain controllers, 274–275, 333–334
 - troubleshooting communication difficulties, 421
 - domain names, Active Directory domains, 280
 - Domain Naming Service (DNS), 241, 242–247
 - SOA, 245–247
 - zones, 243–244
 - zone transfers, 247
 - DOS, 3
 - Dr. Watson, troubleshooting, 441
 - drive(s)
 - logical, 152
 - mapping, 298
 - driver stack, 128
 - duplexed volumes, 190
 - dynamic disks, 183, 184–191
 - fault-tolerant volumes, 188–189, 190–191
 - mirrored volumes, 189–190
 - RAID 5 volumes, 190–191
 - simple volumes, 185–186
 - spanned volumes, 186–187
 - striped volumes, 187–188
 - Dynamic Host Configuration Protocol (DHCP), 241, 250–255
 - Active Directory, 254
 - leases. *See* DHCP leases
 - scopes, 254–255
 - dynamic link libraries (DLLs), 30
 - clustering, 374–375
 - dynamic routes, 225, 227
 - dynamic storage, 151, 152–154
- E**
- editors, Registry, 66–67, 432–433
 - EFS. *See* Encrypted File System (EFS)
 - embedded commands, 3–4
 - Emergency Repair Disk (ERD), 404
 - Windows 2000 versus Windows NT, 437
 - emulation, 28–29
 - ENABLE command, 405
 - Encrypted File System (EFS), 14
 - NTFS support, 162
 - encryption, 341–344
 - enforcing, 344
 - public key (asymmetric), 341
 - symmetric, 341
 - tools, 343–344
 - Windows 2000, 344
 - encryption keys, 341
 - protecting, 344
 - public and private, 341
 - End User License Agreements (EULAs), 330
 - end user operating systems, 13
 - enumeration, 124–125
 - environmental subsystems, 28–32
 - OS/2, 32
 - POSIX, 31
 - Registry values, 29
 - Win32, 30–31
 - ERD. *See* Emergency Repair Disk (ERD)
 - error handling, 69–70
 - EULAs (End User License Agreements), 330
 - Event Processor, cluster service, 375
 - Event Viewer, 422–423
 - exclusive OR (XOR)
 - arithmetic, 371
 - executable images, 32
 - executive, 32–35
 - Cache Manager, 34–35
 - I/O Manager, 34
 - local procedure call facility, 35
 - Object Manager, 35
 - Process and Thread Manager, 32–33

Security Reference Monitor, 34
Virtual Memory Manager, 33–34
executive objects, 106–107
names, 107
executive services, 67
Expire Interval, SOA, 245
extended partitions, 152
EXTRACT command, 405

F

fatal exception errors, troubleshooting, 139
FAT16 file system, 151, 155–157
cluster sizes, 157
FAT32 file system, 151, 157
file and folder sharing, 303–304
Windows 2000 Professional support, 14
fault tolerance, 359–380
backing up data. *See* backing up data
clusters, 377
definition, 359
disk configurations. *See* fault-tolerant disk configurations
server clustering. *See* clustering volumes. *See* fault-tolerant volumes
fault-tolerant clusters, 377
fault-tolerant disk configurations, 367–373
creating fault-tolerant volumes with Disk Management tool, 372–373
RAID levels supported in Windows 2000, 368–371
fault-tolerant volumes, 153–154, 184
dynamic disks, 188–189, 190–191
FIFO (First In, First Out) algorithm, 103
file(s), 52. *See also specific files*
Active Directory, 282–283
attributes. *See* attribute(s)

boot process, 55–57
checkpoint, Active Directory, 283
database. *See* database files
decryption. *See* decryption
encryption. *See* encryption
finding under NTFS, 160
log, Active Directory, 283
paging, 103
Registry storage, 430–432
sharing, 302–306
sparse, 162
start-up, repairing, 438–439
volumes formatted with NTFS, 161
file system(s), 151, 155–163
DFS. *See* Distributed File System (DFS)
EFS, NTFS support, 162
FAT16, 151, 155–157
FAT32, 151, 157, 303–304
file and folder sharing, 303–304
NTFS. *See* NTFS (New Technology File System)
file system cache, 34–35
file system drivers, 38
File Transfer Protocol (FTP) server, IIS, 312
filter drivers, 38
FireWire. *See* IEEE 1394 Serial Bus (FireWire)
First In, First Out (FIFO) algorithm, 103
FIXBOOT command, 405
FIXMBR command, 405
folders
decryption. *See* decryption
encryption. *See* encryption
NTFS, 160
sharing, 302–306, 315
foreground applications, 89
forests, Active Directory, 276–277
FORMAY command, 405

forward lookup zones, 245–247
frames, 214
free space, 152
Front Page 2000 server extensions, IIS, 313
FTP (File Transfer Protocol) server, IIS, 312
full backups, 195
Full Zone Transfer (AXFR), 247
function calls, 29–30

G

Game Controllers applet, 133–134
gateways, default, 252, 256
Gateway Services for NetWare (GSNW), Windows 2000 Server, 15
General tab, Service Properties dialog box, 219–220
GFS (Grandfather/Father/Son) backup scheme, 365, 366
Global Update Manager, cluster service, 375
Grandfather/Father/Son (GFS) backup scheme, 365, 366
graphical backup tool, 360–361
group(s), disks, 367
group policies, 338–340
applying, 340
types, 339–340
Windows 2000 Server, 15
group rights and permissions, 333–334
groupware, 332
GSNW (Gateway Services for NetWare), Windows 2000 Server, 15

H

HAL (hardware abstraction layer), 37, 54, 122–123
halts, troubleshooting, 421
handles, executive objects, 107
hard disks, signatures, 183

- hardware
 - detecting, 397–398
 - devices versus, 123–124
 - kernel-level support, 36–37
 - loading basic hardware support, 396–397
 - supported under WDM specification, 127–128
 - troubleshooting, 396–397, 421
- hardware abstraction layer (HAL), 37, 54, 122–123
- hardware addresses, 215
- hardware device(s), 121
- hardware device drivers, 37
- hardware management, 122–124
 - components, 126
- Hardware subkey,
 - HKEY_LOCAL_MACHINE subtree, 62
- helper parts of operating systems, 26
- hidden attribute, 156
- hives, Registry, 60–61
- HKEY_CLASSES_ROOT key, 59, 63, 427
- HKEY_CURRENT_CONFIG key, 59, 63–64, 427–428
- HKEY_CURRENT_USER key, 59, 64
- HKEY_LOCAL_MACHINE key, 59, 61–63, 426–427, 431, 432
 - subkeys, 62–63
- HKEY_USERS key, 60, 65, 428–429, 431
- hot fixes, 442442
- HTTP (Hypertext Transfer Protocol), IIS support, 312
- human interface device class, 128
- Hypertext Transfer Protocol (HTTP), IIS support, 312
- I**
- ICLs (Internet client licenses), 332
- identifying
 - computers, 242. *See also* Domain Naming Service (DNS); Dynamic Host Configuration Protocol (DHCP); Windows Internet Name Service (WINS)
 - partitions, 154
 - volumes, 154
- IEEE 1394 Serial Bus (FireWire), 123, 131
 - troubleshooting, 139
- IIS. *See* Internet Information Service (IIS) 5.0
- incremental backups, 195, 364–365
- Incremental Zone Transfer (IXFR), 247
- indexes, NTFS, 160
- individual device drivers, 54–55
- initialization of kernel, 399
- in-place upgrades, 279
- input devices
 - configuring, 133–134
 - Windows 2000 Professional requirements, 15
 - Windows 2000 Server requirements, 17
- input/output (I/O) devices, 11. *See also* input devices
- installing
 - service pack updates, 443
 - Terminal Services, 316–317
 - troubleshooting problems, 421–422
 - Windows 2000 networks, 279–280
- IntelliMirror, 311
- interactive logon, 334
- interfaces, consistency, 12
- Internet client licenses (ICLs), 332
- Internet Information Service (IIS) 5.0, 312–315
 - components, 312–313
 - configuring folders for IIS access, 313–315
 - features, 312
- Internet Protocol Security (IPSec), 14
- Internet Services Manager (ISM), 313
- Internetwork Packet Exchange/Sequences Packet Exchange (IPX/SPX), 217, 218
- interprocess communications (IPCs), 70–71
- interrupt requests (IRQs), 53
- I/O (input/output) devices, 11. *See also* input devices
- I/O Manager, 34
- IPCs (interprocess communications), 70–71
- IP routing, 225–227
 - dynamic routes, 225, 227
 - static routes, 225–226
- IPSec (Internet Protocol Security), 14
- IPX/SPX (Internetwork Packet Exchange/Sequences Packet Exchange), 217, 218
- IRQs (interrupt requests), 53
- ISM (Internet Services Manager), 313
- IXFR (Incremental Zone Transfer), 247
- J**
- jobs, 33
- K**
- KDC (Key Distribution Center), 336
- Kerberos, 14, 334, 335–336
- kernel, 35–37
 - dispatcher, 90–91
 - hardware support, 36–37
 - loading, 398–399
- kernel initialization phase, 399
- kernel load phase, 398–399

kernel mode, 38–40

services, 40

kernel objects, 36

key(s). *See* encryption keys;
HKEY *entries*

Key Distribution Center
(KDC), 336

Knowledge Base, 444

L

LANs (local area networks), 212

Last Known Good Configuration
(LKGC), 401–403, 435–436

launching tasks, 8

layered operating systems, 27

Layer Two Tunneling Protocol
(L2TP), 228

leases, DHCP. *See* DHCP leases

Least Recently Used (LRU) algo-
rithm, 103

legacy virtualization drivers layer,
128–129

licenses

application, 332

client access, 330, 331–332, 333

console, 331

EULAs, 330

per-seat, 330–331

per-seat and per-session, 330–331

per-session, 330–331

terminal server, 331–332, 333

types required, 331–333

LISTSVC command, 405

LKGC (Last Known Good
Configuration), 401–403,
435–436

load balancing. *See* network load
balancing

loading. *See* boot process

local area networks (LANs), 212

local print devices, 307

local procedure call facility, 35

Local Security Authority
(LSA), 334

local user profiles, 337

log(s)

boot process, 400

Event Viewer, 422–423

transaction. *See* transaction logs

logical drives, 152

logon

interactive, 334

preferences, 220–221

LOGON command, 405

Log On tab, Service Properties
dialog box, 221

lookup zones, 245–247

LRU (Least Recently Used) algo-
rithm, 103

LSA (Local Security
Authority), 334

L2TP (Layer Two Tunneling
Protocol), 228

M

MAC (Media Access Control)
addresses, 215

Macintosh services, Windows 2000
Server, 15

mandatory user profiles, 337, 338

MANs (metropolitan area net-
works), 212

Manual Caching for Documents
option, offline access, 303

manual DHCP lease renewal,
253–254

manually registering script
engines, App 4

MAP command, 405

mapping network drives, 298

master boot record (MBR),
53, 150

troubleshooting, 441

master file table (MFT), NTFS,
158–161

master zones, 243

MBR. *See* master boot
record (MBR)

MD command, 405

media

backup, supported in
Windows 2000, 367

troubleshooting errors, 421

Media Access Control (MAC)
addresses, 215

memory, 10

allocating, 67–68

committed, 101

management. *See* memory

management

physical, 88

reserved, 101

virtual, 33, 100–101

Windows 2000 Professional
requirements, 15

Windows 2000 Server require-
ments, 17

memory management, 100–105

earmarking memory for
processes, 101–102

paging file, 103

reading data from memory,
103–105

sharing memory among
processes, 102–103

messaging, 71

metropolitan area networks
(MANs), 212

MFT (master file table), NTFS,
158–161

Microsoft Management Console
(MMC), 72–73

Microsoft references for trou-
bleshooting, 444

Minimum Time-to-Live, SOA, 245

mirrored volumes, 184

dynamic disks, 189–190

mirroring data, discarding mirror
set, 372

mirror sets, 153

mixed mode, 277–278

MKDIR command, 405

MMC (Microsoft Management Console), 72–73
 modifying the Registry, 66–67
 modular architecture, 52
 MORE command, 405
 mounting partitions to folders, 154
 Mouse applet, 134
 MSInfo32 tool, 137
 multiboot system, 53
 multicast scopes, DHCP, 255
 multimaster replication, 275
 multiple display support, 130–131
 multiprocessing, 5–9
 multiple CPUs, 5–6
 multiple tasks, 7–8
 multiple threads, 8–9
 multiple users, 6–7
 multitasking
 cooperative, 89, 68069
 preemptive, 68, 89
 virtual, 7
 My Computer, sharing devices, 299
 My Network Places, 296–297
 sharing devices, 299–303

N

name(s)
 domain, Active Directory domains, 280
 NetBIO(s), 242
 name resolution. *See* DHCP leases; Domain Naming Service (DNS); Dynamic Host Configuration Protocol (DHCP); Windows Internet Name Service (WINS)
 native mode, 277, 278–279
 nbstat parameters, 249
 near-line backups, 196
 NetBEUI. *See* NetBIOS Enhanced User Interface (NetBEUI)
 NetBIOS Enhanced User Interface (NetBEUI), 217
 names, 242
 network(s)
 installing, 279–280
 organization, 255–256
 troubleshooting, 440
 upgrading from Windows NT to Windows 2000, 277–279
 Network and Dial-Up Connections tool, Windows 2000 Server, 73
 network computers, 72
 network functionality, operating systems, 70
 network identification
 name resolution. *See* DHCP leases; Domain Naming Service (DNS); Dynamic Host Configuration Protocol (DHCP); Windows Internet Name Service (WINS)
 user identification versus computer identification, 242
 networking, 211–229
 network types, 212
 operating systems, 223–224
 OSI reference model. *See* OSI reference model
 principles, 212
 protocols, 212, 217–218
 remote access, 227–228
 routing, 225–227
 server versus client roles, 228
 services. *See* service(s)
 Windows 2000 model, 224–225
 Windows 2000 Professional requirements, 15
 Windows 2000 Server requirements, 17
 network-interface print devices, 307
 Network layer, OSI reference model, 214
 network load balancing, 378
 Windows 2000 Advanced Server, 17
 Network Neighborhood, 297

Network News Transfer Protocol (NNTP), IIS support, 312, 313
 network operating systems (NOSs), 223–224
 Network Places, 296–297
 network redirectors and servers, 38
 network resources, sharing. *See* sharing network resources; sharing printers
 New Scope Wizard, 254–255
 New Technology File System. *See* NTFS (New Technology File System)
 NNTP (Network News Transfer Protocol), IIS support, 313
 node(s), in clusters, 373
 Node Manager, cluster service, 375
 nonroutable protocols, 217
 normal backups, 195, 364
 NOSs (network operating systems), 223–224
 NTBACKUP utility, 195, 361
 Ntbootdd.sys file, 56
 Ntdetect.com file, 56, 397–398
 NTFS (New Technology File System), 151, 157–163
 attributes, 158–159, 161–163, 342
 cluster sizes, 161
 directory organization, 157–160
 disk quotas, 157, 162, 191–194
 encryption, 342
 file and folder sharing, 303, 304
 limitation, 163
 system files, 161
 NT LAN Manager (NTLM), 334, 335
 Ntldr file, 56
 loading, 397
 NTLM (NT LAN Manager), 334, 335
 Ntoskrnl.exe file, 57, 398

O

object(s)
 Active Directory, 272–273

- control, 36
 - executive. *See* executive objects
 - kernel, 36
 - object attributes, Active Directory, 272–273
 - object classes, Active Directory, 273
 - Object Manager, 35, 105–107
 - executive objects, 106–107
 - object security, 107
 - offline backups, 196
 - Offline Files and Folders feature, 302
 - offline folder feature,
 - Windows 2000 Professional, 14
 - online backups, 195
 - online resources, 374
 - OnNow system, 129–130
 - Open Shortest Path First (OSPF) protocol, 227
 - Open Systems Interconnection (OSI) reference model. *See* OSI reference model
 - operating system(s) (OSs), 1–19, 25–41
 - architecture. *See* operating system architecture
 - batch systems, 4
 - client/server model, 28
 - control programs, 4
 - damaged, repairing. *See* repairing damaged operating systems
 - design objectives, 2–3
 - DOS, 3
 - embedded commands, 3–4
 - essential operations, 67–72
 - evolution, 3–9
 - interface consistency, 12
 - key functions, 9–12
 - layered, 27
 - multiple users, 5
 - multiprocessing. *See* multiprocessing
 - network, 223–224
 - repairing. *See* repairing damaged operating systems
 - resource allocation, 12
 - security, 11–12
 - types, 13
 - Windows, 3
 - operating system architecture, 26–40
 - device drivers, 37–38
 - environmental subsystems, 28–32
 - executive component, 32–35
 - hardware abstraction layer, 37
 - kernel, 35–37
 - user space and kernel space, 38–40
 - Ordinary Safe Mode, 400
 - organizational units (OUs)
 - Active Directory, 273–274
 - applying group policies, 340
 - OSI reference model, 212–216
 - Application layer, 213
 - Data Link layer, 214–215
 - functioning, 215–216
 - Network layer, 214
 - Physical layer, 215
 - Presentation layer, 213–214
 - Session layer, 214
 - Transport layer, 214
 - Windows 2000 networking model compared, 224–225
 - Osloader.exe file, 56
 - OSPF (Open Shortest Path First) protocol, 227
 - OS/2 subsystem, 32
 - OUs. *See* organizational units (OUs)
- P**
- page(s), 10
 - system, 102
 - page directories, 104
 - page fault(s), 104
 - page fault handlers, 104
 - page table(s), 104
 - page table entries (PTEs), 104
 - paging file, 103
 - parity, disk striping with, 153–154, 369–371
 - partitions, 149
 - extended, 152
 - identifying, 154
 - mounting to folders, 154
 - primary, 152
 - system, 53
 - partition table, 149–150
 - PCI bus, 124
 - troubleshooting, 139
 - PDC(s) (primary domain controllers), 274
 - PDC emulator, 278
 - permissions, 333–334
 - troubleshooting problems, 441
 - Permissions dialog box, 301–302, 303
 - per-seat licenses, 330–331
 - per-session licenses, 330–331
 - Physical layer, OSI reference model, 215
 - physical memory, 88
 - plaintext, 341
 - platters, 148
 - sectors, 148
 - surfaces, 148
 - Plug and Play Manager, 124
 - Plug and Play standard, 122
 - Point-to-Point Tunneling Protocol (PPTP), 228
 - Portable Operating System Interface (based on) UNIX (POSIX), 31
 - POSIX (Portable Operating System Interface [based on] UNIX), 31
 - POSIX subsystem, 31
 - POST (Power On, Self-Test), 53
 - power management, 121, 129–130, 135
 - Power On, Self-Test (POST), 53

Power Options applet, 135
 PPTP (Point-to-Point Tunneling Protocol), 228
 preemption of threads, 94–95
 preemptive multitasking, 68, 89
 Presentation layer, OSI reference model, 213–214
 primary domain controllers (PDCs), 274
 primary partitions, 152
 print devices, definition, 307
 print drivers, 307
 printers
 definition, 307
 sharing. *See* sharing printers
 troubleshooting, 439–440
 Printers dialog box, 307
 print servers, 307
 priority
 processes, 92
 threads. *See* thread priority
 priority interrupts, 8
 private keys, 341
 privileged mode, 39
 process(es), 88–89
 affinity, 88, 91
 earmarking memory for, 101–102
 priority, 92
 Process and Thread Manager, 32
 sharing memory among, 102–103
 threads, 89
 Process and Thread Manager, 32–33
 programs. *See also* application(s)
 control, 4
 Properties dialog box, 299–301, 315
 sharing printers, 310
 protecting system memory, 102–103
 protocols, 212, 217–218
 nonroutable and routable, 217
 PTEs (page table entries), 104
 public key encryption, 341
 published software, 311

Q

quantum, 90
 end, 93
 queries, WINS, 249
 quorum resources, 374

R

RAID (redundant array of independent disks), 367–371
 disk mirroring, 368–369
 disk striping, 369–371
 levels, 188–189, 368–371
 RAID 5 volumes, 153–154, 184, 190–191, 370–371
 RAS (Remote Access Service), troubleshooting, 440
 RD command, 405
 RDP (Remote Display Protocol), 316
 reading data from memory, 103–105
 read-only attribute, 156
 read/write head, 148
 ready threads, 91
 recovering Active Directory, 284
 Recovery Console, 404–406
 commands, 405
 Recovery tab, Service Properties dialog box, 222
 redirector, Presentation level of OSI reference model, 213–214
 redundant array of independent disks. *See* RAID (redundant array of independent disks)
 Refresh Interval, SOA, 245
 regback.exe, 437
 Regback folder, 404
 REG_BINARY data type, 429
 Regdump.exe, 436
 REG_DWORD data type, 429
 REGEDIT, 66, 432–433
 REGEDIT32, 66, 67, 432–433
 Reg.exe, 436
 REG_EXPAND_SZ data type, 429
 Regfind.exe, 436
 Regini.exe, 437
 Registry, 58–67, 425–437
 backing up, 65–66, 434–435
 data types, 60
 editors, 66, 67, 432–433
 environmental subsystem values, 29
 hives, 60–61
 keys, 425–429
 modifying, 66–67
 Resource Kit tools, 436–437
 restoring, 435–436
 size limitations, 433–434
 storage files, 430–432
 subtrees, 59–60, 61–65
 value entries, 425, 426, 429–430
 REG_MULTI_SZ data type, 430
 Regrest.exe, 437
 REG_SZ data type, 430
 remote access, 227–228
 Remote Access Service (RAS), troubleshooting, 440
 Remote Computer Management, Windows 2000 Server, 15
 Remote Display Protocol (RDP), 316
 Remote Installation Service (RIS), Windows 2000 Server, 15
 remote process communication (RPC), 71
 remote storage, Windows 2000 Server, 15
 removing the mirror set, 372
 RENAME command, 405
 REN command, 405
 Repair folder, 404
 repairing
 ERD. *See* Emergency Repair Disk (ERD)
 operating systems. *See* repairing damaged operating systems
 start-up files, 438–439

- repairing damaged operating systems, 404–406
 - ERD, 404
 - Recovery Console, 404–406
- reparse points, NTFS, 162
- replicas, Active Directory, 274–275
- reserved log files, Active Directory, 283
- reserved memory, 101
- resident attributes, NTFS, 159
- resource(s), 374
 - allocating, 12, 124–125
 - DNS, 243, 244–247
 - sharing. *See* sharing network resources; sharing printers
- Resource Kits, 436–437, 444
- Resource Manager/Failover Manager, cluster service, 375
- Resource Monitor, cluster service, 375
- restoring
 - Active Directory, 284
 - Registry, 435–436
 - servers, 406–407
- Retry Interval, SOA, 245
- reverse lookup zones, 245
- rights, 333–334
- RIP for IP (Routing Information Protocol for Internet Protocol), 227
- RIS (Remote Installation Service), Windows 2000 Server, 15
- RMDIR command, 405
- roaming user profiles, 337
- root domain, 281
- routable protocols, 217
- routing. *See* IP routing
- Routing and Remote Access tool, 226
 - Windows 2000 Server, 73
- Routing Information Protocol for Internet Protocol (RIP for IP), 227
- routing tables, 225
- RPC (remote process communication), 71
- running threads, 91
- runtime environments, 4
- S**
- Safe Mode, 400
- Safe Mode (Command Prompt Only), 400
- Safe Mode with Networking, 400
- SAM (Security Accounts Manager) subkey, HKEY_LOCAL_MACHINE subtree, 62
- Scanreg.exe, 437
- schemas, Active Directory, 273
- scopes, DHCP, 254–255
- scripting. *See* Windows Scripting Host (WSH)
- sectors, platters, 148
- security
 - operating systems, 11–12
 - Windows 2000 Professional, 14
- Security Accounts Manager (SAM) subkey, HKEY_LOCAL_MACHINE subtree, 62
- security IDs (SIDs), 34, 360–361
- security principals, 336
- Security Reference Monitor, 34, 107
- Security subkey, HKEY_LOCAL_MACHINE subtree, 62
- Serial Number, SOA, 245
- server(s)
 - clusters. *See* clustering
 - restoring, 406–407
 - virtual, 373
- server accounts, domain accounts versus, 333–334
- server clustering. *See* clustering
- server-oriented operating systems, 13
- server roles, 228
- service(s), 218–223
 - cluster. *See* cluster service
 - configuring properties, 219–223
 - kernel mode, 40
 - user mode, 40
 - Web, IIS, 312–315
- service pack updates, 442–444
 - installing and uninstalling, 443
 - verifying, 443–444
- Service Properties dialog box, Log On tab, 221
- services load phase, 399
- service statuses, 220
- Session layer, OSI reference model, 214
- sharing network resources, 295–318
 - connecting to resources from client, 298
 - devices, 299–303
 - files and folders, 303–306, 315
 - finding resources, 296–298
 - IIS, 312–315
 - IntelliMirror, 311
 - printers. *See* sharing printers
 - Terminal Services. *See* Terminal Services
- sharing printers, 306–310
 - creating printers, 307–309
 - existing Windows 2000 printers, 310
- Sharing tab, Properties dialog box, 299–301
- SIDs (security IDs), 34, 360–361
- signatures, hard disks, 183
- Simple Mail Transfer Protocol (SMTP), IIS support, 312, 313
- simple volumes, 152
 - dynamic disks, 185–186
- single user operating systems, 13
- 16-bit addresses, 157
- Smart Card, 14

- smart terminals, 71
- SMP (Symmetric Multiple Processor) systems,
 - Windows 2000 Server, 15
- SMTP (Simple Mail Transfer Protocol), IIS support, 312, 313
- snap-ins, IIS, 313
- sneaker-nets, 212
- SOA (Start of Authority), 245
- software
 - assigned, 311
 - published, 311
- software settings group policies, 339
- Software subkey,
 - HKEY_LOCAL_MACHINE subtree, 62–63
- spanned volumes, 152, 184
 - dynamic disks, 186–187
- sparse files, 162
- spawning tasks, 8
- standard primary zones, 243
- standard secondary zones, 243
- standby threads, 91
- Start of Authority (SOA), 245
- start up
 - advanced options, 437–438
 - file repair, 438–439
 - service startup types, 219–220
- static route(s), 225–226
- Static Route dialog box, 226
- stop message errors, troubleshooting, 421
- storage, 10–11. *See also* disk entries;
 - file system(s)
 - basic, 151, 152
 - dynamic, 151, 152–154
 - Registry files, 430–432
 - Windows 2000 Server, 15
- striped volumes, 184
 - dynamic disks, 187–188
- stripe sets, 152–153
 - with parity, 153–154
- subnets, 255–256
- superscopes, DHCP, 255

- surfaces, platters, 148
- symmetric encryption, 341
- Symmetric Multiple Processor (SMP) systems, Windows 2000 Server, 15
- system attribute, 156
- system buses, 121, 131–133
- System dialog box, Windows 2000 Server, 73
- system files, core, 53, 55–57
- system pages, 102
- system partition, 53
- SYSTEMROOT command, 405
- System State, Active Directory, 283–284
- system state data, 360–361
- System subkey,
 - HKEY_LOCAL_MACHINE subtree, 63

T

- TAPI (Telephony API), 30
- tasks
 - launching (spawning), 8
 - multiple, 7–8
- task switching, 89
- TCP/IP (Transmission Control Protocol/Internet Protocol), 217, 218
- TDI (Transport Driver Interface), 224
- TechNet, 444
- Telephony API (TAPI), 30
- terminal server client access
 - licenses (TSCALs), 331–332, 333
- Terminal Services, 71–72, 316–318
 - Administration Tool, 317–318
 - setting up, 316–317
 - Windows 2000 Server, 15
- Terminal Services Licensing service, 332, 333
- termination of threads, 95
 - terminated threads, 91
- thin clients, 72
- 32-bit addresses, 157
- thread(s), 89
 - context, 90
 - multiple, 8–9
 - priority. *See* thread priority
 - Process and Thread Manager, 32
 - quantum. *See* quantum
 - scheduling. *See* thread scheduling
 - termination, 91, 95
 - thread states, 91–92
- threading, 8–9
- thread priority, 92
 - boosting, 96–100
- thread scheduling, 90–100
 - adjusting, 95–100
 - scheduling scenarios, 93–95
 - thread and process priority, 92
 - thread states, 91–92
- thread states, 91–92
- Time Service, cluster service, 375
- time slicing, 7
- time-to-live (TTL), SOA, 245
- Tower of Hanoi (ToH) backup
 - scheme, 365–366
- tracks, 148
- transaction logs
 - Active Directory, 283
 - NTFS, 162–163
- transition threads, 91
- Transmission Control Protocol/Internet Protocol (TCP/IP), 217, 218
- Transport Driver Interface (TDI), 224
- Transport layer, OSI reference
 - model, 214
- trees, Active Directory, 276
- trimming working sets, 103
- Troubleshoot button, 135–316
- troubleshooting, 417–445
 - Active Directory. *See* troubleshooting Active Directory
 - boot process. *See* troubleshooting boot process
 - CIF, 418–419

common-sense troubleshooting, 420–421

devices. *See* troubleshooting devices

disk problems, 441

Dr. Watson, 441

fatal exception errors, 139

hardware, 396–397

installation problems, 421–422

MBR, 441

Microsoft references, 444

network problems, 440

permissions problems, 441

printer problems, 439–440

RAS problems, 440

Registry. *See* Registry

service pack updates, 442–444

tools, 422–425

troubleshooting Active Directory, 281–284

backing up, 283–284

files, 282–283

recovering and restoring Active Directory, 284

troubleshooting boot process, 437–439

advanced start-up options, 437–438

start-up file repair, 438–439

troubleshooting devices, 136–139

changing single parameter at a time, 136–137

documenting current settings, 137–138

tips, 138–139

universal serial bus, 138

trust relationships, Active Directory, 276

TSCALs (terminal server client access licenses), 331–332, 333

TTL (time-to-live), SOA, 245

tunnels, 228

TYPE command, 405

U

unallocated space, 152

uninstalling service pack updates, 443

Universal Serial Bus (USB), 123, 131, 132

troubleshooting, 138

upgrading networks

in-place upgrades, 279

from Windows NT to Windows 2000, 277–279

USB. *See* Universal Serial Bus (USB)

user(s)

authentication. *See* user authentication

identification, 242

multiple, 6–7

number allowed to share devices, 301

single-user operating systems, 13

user authentication, 334–336

certificates, 336

Kerberos, 334, 335–336

NTLM, 334, 335

user input, priority boosts after waiting for, 97–98

user messages, priority boosts after waiting for, 97–98

user mode, 38–40

services, 40

user profiles, 337–338

user rights and permissions, 333–334

V

value entries in Registry, 425, 426, 429–430

variable priority threads, 92

verifying service pack updates, 443, 444

VGA Mode, 401

virtual directories, 314

Virtual Directory Creation Wizard, 314

Virtual DOS Machine, 128

virtual machines, 11–12

virtual memory, 33, 100–101

management. *See* memory management

Virtual Memory Manager, 33–34

virtual multitasking, 7

virtual private networks (VPNs), 228

Windows 2000 Professional support, 14

virtual servers, 373

Visual InterDev RAD remote deployment, IIS support, 313

volumes, 151–154

duplexed, 190

fault-tolerant. *See* fault-tolerant volumes

identifying, 154

mirrored, 184, 189–190

NTFS, files contained in, 161

RAID 5, 153–154, 184, 190–191, 370–371

simple, 152, 185–186

spanned, 152, 184, 186–187

striped, 184, 187–188

voluntary switching of threads, 93–94

VPNs. *See* virtual private networks (VPNs)

VxD driver, 122

W

waiting threads, 91

WANs (wide area networks), 212

WDM. *See* Win32 Driver Model (WDM)

Web application development tools, IIS, 312

Web services, IIS, 312–315

Web Sharing tab, Properties dialog box, 315

wide area networks (WANs), 212

Windows 2000 Advanced Server,
16–17
services, 16–17

Windows-based scripting, App 3

Windows 2000 Datacenter
Server, 17

Windows Explorer, sharing
devices, 299–303

Windows Internet Name Service
(WINS), 241, 247–250
name query, 249
name registration, 248–249
name release, 249–250
name renewal, 250

Windows 2000 networks
installing, 279–280
mixed mode, 277–278
native mode, 277, 278–279
upgrading existing Windows NT
networks to, 277–279

Windows NT
domains, 274–275
ERD, 437
upgrading existing networks for
Active Directory, 277–279

Windows operating system, 3

Windows 2000 Professional, 14–15
component requirements, 15
new features, 14
Windows 2000 Server com-
pared, 13–18

Windows 2000 Resource Kit,
436–437

Windows Scripting Host (WSH),
App 1–4
command-based scripting,
App 2–3
manually registering script
engines, App 4
sample script, App 4
Windows-based scripting, App 3

Windows 2000 Server, 15–16
component requirements, 15–16
features, 15
tools, 72–74
Windows 2000 Professional
compared, 13–18

Windows settings group
policies, 339

Windows subsystem start phase, 399

Win32 Driver Model (WDM),
121, 122, 126–129
hardware devices supported,
127–128

layered approach, 127–129
legacy virtualization drivers
layer, 128–129

WINS. *See* Windows Internet
Name Service (WINS)

Win 32 subsystem, 30–31

working sets, 33, 103
trimming, 103

World Wide Web server, IIS sup-
port, 313

Write Signature and Upgrade
Disk Wizard, 183

writing to disk, 67

WSH. *See* Windows Scripting
Host (WSH)

X

XOR (exclusive OR
arithmetic), 371

Z

zone(s), DNS. *See* Domain
Naming Service (DNS)

zone database files, 243

zone transfers, 247